

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION 1	NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/616,617		07/10/2003	Morris D. Stillabower	DP-309422	3345
22851	7590	01/03/2005		EXAMINER	
DELPH	I TECHNO	OLOGIES, INC.	COOKE, COLLEEN P		
M/C 480 PO BOX	-410-202 5052			ART UNIT	PAPER NUMBER
	MI 48007			1754	
	•			DATE MAILED: 01/03/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	<del></del>				
Office Action Summan		10/616,617	STILLABOWER, MORRIS D	• 				
	Office Action Summary	Examiner	Art Unit					
		Colleen P Cooke	1754					
Period fo	The MAILING DATE of this communicator Reply	ition appears on the cover sheet with	h the correspondence address					
THE - Exte after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICANSIONS of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this communication of the period for reply specified above is less than thirty (30) of period for reply is specified above, the maximum statution to reply within the set or extended period for reply will reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	ATION. 37 CFR 1.136(a). In no event, however, may a reposition. days, a reply within the statutory minimum of thirty ory period will apply and will expire SIX (6) MONT, by statute, cause the application to become ABA	oly be timely filed  (30) days will be considered timely.  HS from the mailing date of this communication.  NDONED (35 U.S.C. § 133).					
Status								
1)🖂	Responsive to communication(s) filed	on <u>10 July 2003</u> .						
2a) <u></u> □	This action is <b>FINAL</b> . 2b	)⊠ This action is non-final.	X.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
- 4)⊠ 5)□ 6)⊠ 7)⊠	Claim(s) <u>1-19</u> is/are pending in the app 4a) Of the above claim(s) is/are Claim(s) is/are allowed. Claim(s) <u>1-19</u> is/are rejected. Claim(s) <u>17</u> is/are objected to. Claim(s) are subject to restriction	withdrawn from consideration.						
Applicati	ion Papers							
9)	The specification is objected to by the E	Examiner.						
•	The drawing(s) filed on is/are: a		y the Examiner.					
	Applicant may not request that any objection	on to the drawing(s) be held in abeyand	e. See 37 CFR 1.85(a).					
11)	Replacement drawing sheet(s) including the The oath or declaration is objected to be	,	• • •					
Priority (	under 35 U.S.C. § 119							
12) <u>□</u> a)	Acknowledgment is made of a claim for All b) Some * c) None of:  1. Certified copies of the priority do  2. Certified copies of the priority do	ocuments have been received. Ocuments have been received in Ap Ocuments have been received in Ap Ocuments have been received in Ap	plication No eceived in this National Stage					
Attachmen	t(s)							
	e of References Cited (PTO-892)		immary (PTO-413)					
3) 🛛 Infor	te of Draftsperson's Patent Drawing Review (PTC mation Disclosure Statement(s) (PTO-1449 or PT or No(s)/Mail Date <u>7/10/03, 11/24/03</u> .		/Mail Date formal Patent Application (PTO-152) 					
C. Datast and T	rademark Office							

## Claim Objections

Claim 17 objected to because of the following informalities: The claim describes the step of "forming the plurality of stand-off *members* (32) as a hollow *member*" and as such appears to have grammatical error in combining the singular and plural. For the purposes of further examination, this minor error will be treated as reading similarly to claim 4 such that there is a step of forming the plurality of stand-off members *each* as a hollow member. Appropriate correction is required.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 7-16, and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pao et al. (5931371).

With respect to claims 1, 3, 8, 9, 11-13, 15, 16 and 19, Pao et al. teaches an electronic package and method of making (see Figures 3 and 4) including bonding a device (24) with a contact terminal to a circuit board (14) having a mounting pad (16) and maintaining a standoff distance (20) between the device and the circuit by using a solder paste (12) with a plurality of solder balls (18), and reflowing by heating at a temperature to melt the solder paste but not the solder balls and wetting the bonding pad (Column 4, lines 13-22). Pao et al. teaches that the size of the balls corresponds to the desired stand-off height between the component and circuit board

Application/Control Number: 10/616,617

Art Unit: 1754

(Column 3, lines 16-18 and Column 5, lines 9-13 and 17-25), that factors such as coefficient of thermal expansion of the component (CTE) and circuit board directly influence what stand-off height is appropriate, and further that the stand-off height is controlled so as to improve reliability and durability of the solder interconnection formed (Columns 3-4, lines 53-12).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to select a stand-off height of 0.01-0.10 mm or 0.01-0.03 mm, since it has been held that discovering an optimum value or a result effective variable involved only routine skill in the art. In re Boesch, 617 F.2<sup>nd</sup> 272, 205 USPQ 215 (CCPA 1980). The artisan would have been motivated to the choose an appropriate height by the reasoned explanation that the height is a function of the CTEs of the materials being joined and must be chosen so as to optimize the reliability and durability of the solder joint, as is all taught by Pao et al.

With respect to claims 2, 10, and 13, Pao et al. teaches that the amount of paste used should correspond to the volume of the desired solder interconnect minus the column of the solder balls (Column 3, lines 1-3) and that one or more solder balls may be used per joint (Column 3, lines 13-15).

With respect to claims 7 and 18, Pao et al. teaches that the stand-off members may be in a variety of shapes and are not limited to spheres (Column 5, lines 13-17) and further that even the spheres are made irregular during processing (Column 4, lines 41-48 and 62-65) by formation of dendrites (see also Figure 5).

Art Unit: 1754

Claims 4-6 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pao et al. (5931371) as applied to claims 1 and 12 above, and further in view of either Avery et al. (6340113) or Alcoe et al. (6631078).

Pao et al. teaches the electronic package and method of making as described with respect to claims 1 and 12 above. Although Pao et al. teaches that the solder balls (18) used to provide standoff distance between the electronic components may have a variety of shapes (Column 5, lines 13-15), Pao et al. does not specifically teach a hollow shape.

As both Avery et al. (Figure 1) and Alcoe et al. (Figure 2) teach in different embodiments, hollow metal particles (12 or 25 respectively) are used to provide standoff distance between electronic components (see Avery et al. Column 4, lines 37-41; see Alcoe et al. Column 4, lines 46-48). The solder particles used are metal and must have a higher melting point than a surrounding solder paste as taught by Pao et al. and described in reference to claim 8 above.

It would have been obvious to modify the teachings of Pao et al. by including metal particles for providing a standoff height and having a higher melting point than the solder which are of a hollow shape because Pao et al. teaches the particles may be any shape and Avery et al. and Alcoe et al. teach that the hollow shape is one known in the art for providing standoff height.

Application/Control Number: 10/616,617 Page 5

Art Unit: 1754

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Colleen P Cooke whose telephone number is 571-272-1170. She can normally be reached Mon.-Thurs. 8am-6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, her supervisor, Stan Silverman can be reached at 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Colleen P Cooke
Examiner

Art Unit 1754